

# Vege-Polisher<sup>TM</sup>



# FLEXIBLE

# ROBUST

# EFFECTIVE

# SMART

# HELPFUL

- Five models\* of Vege-Polishers™ available to meet capacity requirements of up to 40 t/hr (88,000 lb/hr)
- The most comprehensive range of options offered with each model, including:
  - Centralised greasing system
  - Integrated water recycling systems to minimise water consumption rates
  - Upgrades to different material types (i.e. full stainless steel)
  - Automated out-feed gate
  - Multiple electrical configurations, including human interface panel
  - Pneumatic or hydraulic tilt systems for fast emptying

- Highly reliable, patented V and synchronous belt drive systems
- Enhanced bearing protection features to maximise the lifespan of your equipment
- Built strongly to stand the test of time and provide a low total cost of ownership over its lifetime

- Ability to customise the brush configuration to maximise polishing effectiveness
- Separate variable speed controls for the brush & barrel rotation to give you the ability to control the polishing intensity

- Easy access for cleaning and maintenance via sliding doors, side removable brush shafts and light weight quick clip-on/clip-off release panels
- Hinged belt tensioning system for quick and simple tension adjustment
- Internal cleaning bars to reduce manual cleaning

- Key enabled lockable doors
- Drum retainer to stabilise the drum when maintenance is carried out
- Comprehensive worldwide spare parts, service and installation support network



\* Includes Mega-Polisher – Please note the Mega-Polisher is a separate brochure

## Equipment Description

The Wyma Vege-Polisher™ can considerably improve the appearance of your fresh vegetables, resulting in a greater percentage of packed premium produce and an increased presence on retailers' shelves. Our experience with both the rotary brush barrel technology – which we invented almost 20 years ago – and with the specific brush design for our machines, combine to ensure your vegetables are washed and polished to the highest retailing standards.





- A** Motor isolators
- B** Patented V and synchronous belt drive systems
- C** Enhanced bearing protection features
- D** Fresh water and water recycling pipes
- E** Short and gentle in-feed transition
- F** Light weight quick clip-on/clip-off release panels
- G** Lockable, removable and sliding side doors
- H** Side removable shafts
- I** Customised and exclusive brush configuration

Range of material specifications available from mild steel, galvanised and painted to full stainless steel.

**Technical Data:**

Model	Approx. Capacity*	Brush Rows	Length	Width	Height	Mass	Water Consumption**
WPP2412	5 - 10 t/hr (11 to 22,046 lb/hr)	12	3,125 mm (10'3")	1,410 mm (4'7")	1,692 mm (5'6")	2.0 t (4,409 lb)	3 - 10 m <sup>3</sup> /hr (100-350 ft <sup>3</sup> /hr)
WPP3014	8 - 20 t/hr (18 to 44,092 lb/hr)	14	3,790 mm (12'5")	1,660 mm (5'5")	2,039 mm (6'8")	3.0 t (6,614 lb)	4 - 14 m <sup>3</sup> /hr (140-480 ft <sup>3</sup> /hr)
WPP3016	10 - 25 t/hr (22 to 55,115 lb/hr)	16	4,085 mm (13'5")	1,919 mm (6'3")	2,290 mm (7'6")	4.5 t (9,921 lb)	4 - 14 m <sup>3</sup> /hr (140-480 ft <sup>3</sup> /hr)
WPP3518	15 - 35 t/hr (33 to 77,161 lb/hr)	18	4,520 mm (14'9")	1,970 mm (6'6")	2,390 mm (7'9")	5.5 t (12,125 lb)	11 - 33 m <sup>3</sup> /hr (377-1,130 ft <sup>3</sup> /hr)

\* Depending on soil, product and operating conditions

\*\* Water consumption can be reduced by up to 70% through the use of a Wyma Water Recycling System – Please ask for our Recycling Systems brochure

## Wyma Fresh Thinking

When you've worked hard to cultivate a successful growing and packing business and you're aiming to deliver a quality product, you want the best post-harvest handling solutions available.

When you buy Wyma, you buy proven technical innovation and quality, backed up by a deep understanding of your processing needs. We hope you will be as proud to be a Wyma owner as we are to manufacture and support the equipment worldwide.

Our fresh thinking is always available to help you keep improving the way you process your vegetables. As we say, "if it's worth growing, it's worth handling with Wyma".

# Insist on authentic Wyma spare parts



Consult



Design



Manufacture



Install



Support

## Contact Details

### New Zealand Head Office

27 Foremans Road  
PO Box 16-707  
Hornby 8441  
Christchurch  
New Zealand  
P: +64 3 344 6403  
F: +64 3 344 6407  
sales@wymasolutions.com


### European Office

Wyma Europe s.r.o.  
Netovicka 875  
27444  
Slany  
Czech Republic  
P: +420 312 312 733  
F: +420 312 312 734  
eu.sales@wymasolutions.com

### Australian Contact

580 Doyles Road  
PO Box 1158  
Shepparton  
Victoria 3630  
Australia  
P: +61 400 577 921  
F: +61 3 5831 1038  
au.sales@wymasolutions.com

Your Local Wyma Representative:



*The information contained in this document is based upon the latest information available at the time of publication. We make no guarantees or representations as to its accuracy. We are continually updating and improving our products and reserve the right to amend, discontinue or alter specifications and prices without prior notice. © Wyma*